



EWFF

Hydraulic Power Units

The EWF hydraulic power units are designed and manufactured by our team of dedicated engineers with only the best motors and parts available. Including a complete service to design and fabricate a mounting bracket that keeps your carrier balanced, DENIS CIMAF keeps its promise of quality and support.



Upgrade your carrier to a powerful mulching wonder!

DENIS // CIMAF

211 rue Notre-Dame
Roxton Falls QC J0H 1E0
Canada

www.deniscimaf.com

Toll free : 877-279-2300
Phone : 450-548-7007
Fax: 450-548-7008

info@deniscimaf.com



SPECIFICATIONS	EWF-225	EWF-070
Engine Power [kW (hp)]	167 (225)	55 (74)
Engine Emission Compliance [Tier]	Tier 4	Tier 4
Pump Power [cc]	130	42
Max. pressure at 2200 RPM [bar (psi)]	337 (4891)	364 (5284)
Max. flow at 2200 RPM [L (gal)]	286 (75)	90 (24)
Electric tension [vdc]	12	12
Unit Width [cm (in)]	145 (57)	104 (41)
Unit Height [cm (in)]	191 (75)	132 (52)
Unit Length [cm (in)]	244 (96)	163 (64)
Unit Weight [kg (lbs)]	2948 (6500)	907 (2000)
Oil Tank Capacity [L (gal)]	132 (35)	38 (10)
Fuel Tank included? [y/n]	Y	N
Recommended Fuel Tank Capacity [L (gal)]	246 (35)	85 (23)
Independent Cooling Fan? [y/n]	Y	N
Extra Cooling Fan Type	8 cc proportional PRV	
Recommended Hydraulic Oil	Biodegradable Hydraulic Oil	Biodegradable Hydraulic Oil

These are minimum requirements; call your DENIS CIMAF's sale representative for guidance in selecting the best match. This information is subject to change without notice.





Headquarters

DENIS CIMAF inc.

211 rue Notre-Dame,
Roxton Falls, QC, Canada,
J0H 1E0

TOLL FREE
1-877-279-2300

PHONE
1-450-548-7007

EMAIL

info@deniscimaf.com

FAX

1-450-548-7008

www.deniscimaf.com

DENIS CIMAF ONLINE

Subscribe to our online services to track the machines in your fleet, request assistance, get manuals, parts number list and many more upcoming.
Join the DENIS CIMAF family!

DENIS  **CIMAF**